





Corporate Offices: 2620 Palisades Drive, Corona CA 92882 Florida Distribution: 7600 Narcoossee Rd, Orlando, FL 32822 Texas Distribution:4053 Grand Lakes way, Grand Prairie, TX 75050 951-268-6689 info@evolutionelectricvehicle.com www.evolutionelectricvehicle.com















WHAT ARE THE

FEATURES

01

INJECTION MOULDED **CANOPY**

06

LED HEADLIGHTS

25A ON-BOARD FAST CHARGER

ADJUSTABLE STEERING

TWO-TONE LUXURY **LEATHER SEATS**

ACCELERATOR / BRAKE

BRUSH GUARD FOR

LIFTED MODELS

FOLDABLE WINDSHIELD

02

07

BACK MESH POCKET

OFF-ROAD THREAD

03

80

OPTIONAL 7 INCH

BACK-UP CAMERA

TOUCHSCREEN WITH

14X7"ALUMINUM WHEEL

/22X10-14 SILENT TIRE WITH

18

SEAT BELTS

AUTOMOTIVE E-COAT CHASSIS

25A ON-BOARD FAST

19

CHARGER

04

FRONT STORAGE BASKET FRONT COWL FOR OFF ROAD MODELS

05

AUTOMOTIVE DESIGNED DASHBOARD, COLOR MATCHED STEERING WHEEL **CUP HOLDER INSERT**

RACE CAR STYLE

FRONT /REAR FENDER **FLARES**

20

BACKUP CAMERA



4 PASS OFF-ROAD VERSION SHOWN

AUTOMOTIVE E-COAT CHASSIS

BACK STORAGE BASKET





AUTOMOTIVE DESIGNED DASHBOARD, COLOR MATCHED CUP HOLDER INSERT



OPTIONAL 7" MULTI-FUNCTIONAL TOUCHSCREEN

Touchscreen integrated with speed display, Driving Gear indication, Lights, Odometer, Radio, Music, Bluetooth Connection, Back-up camera image display., etc








FEATURES

FEATURES



ADJUSTMENT LEVER

Adjustable steering wheel is specifically designed to make the driving easier .lt works by tilting up and down, depending on what makes it easier for the driver to drive.



SEAT BACK COVER ASSEMBLY

Seat back with safety armrest and mesh pocket.



USB CHARGING PORT

USB Charging port for each seats, keep you charged on the go.



SEAT BELTS

Standard with three-point safety belts in the front seats and two-point safety belts in the rear seats.

CHARGING SOCKET

Heavy duty charging socket, for higher current flow, better heat dissipation

HEAVY DUTY SUNTOP CANOPY

Manufactured from solid colored plastic, these tops are fitted with Track enclosure rail that is built right into the top framing



TOP-NOTCH LUXURY SEATS

Our Luxury Line Seats include Soft-Touch Imitation Leather, well carved with an Exotic pattern .

ACCELERATOR BRAKE PEDAL

Automotive style stainless pedals

TAIL LIGHT FOR 2+2 MODEL

Tail lights include LED brake lights and LED turning signals.



TIRE

14x7"aluminum wheel/ 215/55r14" radial tire



SILENT TIRE WITH OFF-ROADTHREAD

14x7"aluminum wheel/ 22x10-14 silent tire with off-road thread



REAR HANDRAIL FOR 2+2 MODEL

Optional golf cart bag holder kit









2 PASS

MODEL

2+2 PASS

MODEL

2+2 PASS OFF ROAD

MODEL









4 PASS

MODEL

4 PASS OFF ROAD

MODEL

6 PASS

MODEL

6 PASS OFF ROAD

MODEL





COLOR: CHOICES

DIMENSIONS

2 PASS





Model	2 PASS
Rated Passengers (person)	2
System Voltage (V)	48
Motor Power (kw)	4
Charging Time (H)	4-5
Dimension (inch)	93.7×55.1 (rearview mirror)×72
Wheelbase (inch)	64.2
Wheel Tread (front/rear inch)	34.65/38.58
Driving Range (full load miles)	≥40
Maximum Speed (mph)	13/17
Braking Distance (feet)	≤11.5
Minimum Turning Radius (feet)	10.2
Maximum Gradability (full load)	25%
Curb Weight (lbs)	661
Maximum Gross Weight (lbs)	1389
Minimum Ground Clearance (inch)	4.3
Suspension System	leaf spring suspension with dampers

^{*}PLEASE NOTE THAT, DUE TO VARIATIONS AMONGST PRINTINGS, ACTUAL COLORS MAY VARY SLIGHTLY FROM WHAT APPEARS ON THIS PAGE. CHECK WITH DEALER FOR ACTUALLY BRIGHTNESS/SATURATION OF A COLOR (CHECK THE PHYSICAL COLOR TEMPLATES POSSESSED BY DEALRESHIPS BEFORE YOU PLACE ORDERS). WE RESERVE THE RIGHTS TO MAKE CORRECTIONS AS WELL AS PRODUCT ALTERATIONS AND IMPROVEMENTS AT ANY TIME WITHOUT NOTICE.

DIMENSIONS

2+2 PASS

2+2 PASS OFF ROAD









Model	2+2 PASS	2+2 PASS OFF ROAD
	I	
Rated Passengers (person)	4	4
System Voltage (V)	48	48
Motor Power (kw)	4	6.3
Charging Time (H)	4-5	4-5
Dimension (inch)	112.6×55.1(rearview mirror)×76	II6.5×55.I(rearview mirror)×82.7
Wheelbase (inch)	65	65.7
Wheel Tread (front/rear inch)	34.65/38.58	39.37/40.35
Driving Range (full load miles)	≥40	≥40
Maximum Speed (mph)	13/25	13/25
Braking Distance (feet)	≤11.5	≤11.5
Minimum Turning Radius (feet)	10.2	10.5
Maximum Gradability (full load)	25%	25%
Curb Weight (lbs)	882	1034
Maximum Gross Weight (lbs)	1653	1806
Minimum Ground Clearance (inch)	4.3	5.9
Suspension System	leaf spring suspension with dampers	leaf spring suspension with dampers

23


DIMENSIONS



Model	4 PASS	4 PASS OFF ROAD
	I	
Rated Passengers (person)	4	4
System Voltage (V)	48	48
Motor Power (kw)	6.3	6.3
Charging Time (H)	4-5	4-5
Dimension (inch)	125.2×55.1(rearview mirror)×76	129.1×55.1 (rearview mirror)×82.7
Wheelbase (inch)	96.5	97.2
Wheel Tread (front/rear inch)	34.65/38.58	39.37/40.35
Driving Range (full load miles)	≥40	≥40
Maximum Speed (mph)	13/25	13/25
Braking Distance (feet)	≤13.1	≤13.1
Minimum Turning Radius (feet)	14.1	14.4
Maximum Gradability (full load)	25%	25%
Curb Weight (lbs)	957	1014
Maximum Gross Weight (lbs)	1728	1786
Minimum Ground Clearance (inch)	4.3	5.9
Suspension System	leaf spring suspension with dampers	leaf spring suspension with dampers

25

DIMENSIONS



Model	6 PASS	6 PASS OFF ROAD
	I	
Rated Passengers (person)	6	6
System Voltage (V)	48	48
Motor Power (kw)	6.3	6.3
Charging Time (H)	4-5	4-5
Dimension (inch)	156.7×55.1(rearview mirror)×76	160.6×55.1(rearview mirror)×82.7
Wheelbase (inch)	127.2	128
Wheel Tread (front/rear inch)	34.65/38.58	39.37/40.35
Driving Range (full load miles)	≥40	≥40
Maximum Speed (mph)	13/25	13/25
Braking Distance (feet)	≤13.1	≤13.1
Minimum Turning Radius (feet)	15.7	16
Maximum Gradability (full load)	25%	25%
Curb Weight (lbs)	970	1027
Maximum Gross Weight (lbs)	1741	1799
Minimum Ground Clearance (inch)	4.3	5.9
Suspension System	leaf spring suspension with dampers	leaf spring suspension with dampers